



Plumbing & Drainage

Twinwall Multi-Fittings



Twinwall Surface Water Drainage

- 24 BBA Approved Twinwall Multi-Fittings Available
- Compatible with Relevant BBA Approved Polyethylene Twinwall Pipes
- Couplers, Sealing Rings, Road Gullies, Reducers and Pipes also Available

Twinwall Surface Water Drainage Multi-Fittings



Plumbing & Drainage

Brett Martin Plumbing and Drainage are now manufacturing and supplying a versatile range of BBA certified Twinwall Surface Water Drainage Multi-Fittings. One of the main benefits is the compatibility of the Brett Martin Multi-Fittings with other relevant manufacturer's Polyethylene (PE) Twinwall BBA approved pipes and the certificate still covers the whole system. The wide ranging choice available from Brett Martin, consists of 24 Multi-Fittings designed to fit various compatible BBA-certified 150mm, 225mm and 300mm Polyethylene Twinwall drainage pipes (see compatibility list).

Brett Martin's range of Twinwall Multi-Fittings are a massive gain in convenience bringing simplicity in ordering and stocking whilst the installation process is also aided by excellent quality, design and manufacturing benefits that can be used in a number of applications.



APPLICATIONS:

Suitable for a variety of surface water and land drainage applications:

- Highway Drainage
- Agricultural Drainage
- Rail and Airport Drainage
- Landfill Drainage
- Carrier Drains
- Culverts



Design Benefits:



SOCKETS

- Triple socket junctions and double socket bends allow the fittings to be easily connected and assembled
- Rotationally moulded fittings with controlled tolerances means that the fittings are manufactured to exacting standards. This allows for accurate and consistent internal socket diameters for convenience in installation
- Double moulded sockets on the fittings are excellent for compression resistance and also provide the user with consistent socket sizes
- Smooth bores throughout each fitting provide added convenience at the installation stage
- Smooth walled tapered sockets are designed to aid jointing at the installation stage



FITTINGS


- Lightweight and robust allows for easier handling making installation quicker and easier than non plastic fittings - weighing 94% lighter than concrete also reduces health and safety risks
- All manufactured from Polyethylene (PE) which is resistant to naturally occurring chemicals and is therefore suitable for use in the majority of soil conditions
- Twinwall fittings are available from stock ensuring a prompt delivery service throughout the UK and Ireland
- Stamped with product code for clear identification
- Fittings have been awarded BBA Approval (Certificate Number 10/H168): this enables Brett Martin Twinwall fittings to be combined with any relevant manufacturer's polyethylene Twinwall pipes and the certificate will still cover the whole system
- Manufactured to BS EN ISO 9001:2008


BODY

- Tough, ribbed body ensures an extremely rigid and durable product which has excellent resistance to deformation
- The ribbed exterior stiffens and strengthens the body in order for it to take higher compressive loads and keep its long term shape
- The system will have a service life in excess of 50 years
- Smooth inner surface assists the hydraulic flow through the fitting

Twinwall Multi-Fittings

Plumbing & Drainage

Nominal Size 150mm	Product Code	Product Description	Weight (kg)
 1TB15 1TB30 1TB45 1TB90 1TT90 1TY45	1TB15	150mm 15° Double Socket Bend	1.4
	1TB30	150mm 30° Double Socket Bend	1.5
	1TB45	150mm 45° Double Socket Bend	1.8
	1TB90	150mm 90° Double Socket Bend	2.0
	1TT90	150mm x 150mm x 150mm 90° Triple Socket Branch	2.5
	1TY45	150mm x 150mm x 150mm 45° Triple Socket Branch	2.8

Nominal Size 225mm	Product Code	Product Description	Weight (kg)
 2TB15 2TB30 2TB45 2TB90 2TY145 2TY45 2TT190 2TT90	2TB15	225mm 15° Double Socket Bend	3.5
	2TB30	225mm 30° Double Socket Bend	4.0
	2TB45	225mm 45° Double Socket Bend	4.5
	2TB90	225mm 90° Double Socket Bend	5.0
	2TY145	225mm x 150mm x 45° Triple Socket Branch	6.2
	2TY45	225mm x 225mm x 45° Triple Socket Branch	7.0
	2TT190	225mm x 150mm x 90° Triple Socket Branch	6.2
	2TT90	225mm x 225mm x 90° Triple Socket Branch	6.5

Nominal Size 300mm	Product Code	Product Description	Weight (kg)
 3TB15 3TB30 3TB45 3TB90 3TY145 3TY245 3TY45 3TT190 3TT290 3TT90	3TB15	300mm 15° Double Socket Bend	6.0
	3TB30	300mm 30° Double Socket Bend	6.5
	3TB45	300mm 45° Double Socket Bend	7.0
	3TB90	300mm 90° Double Socket Bend	8.3
	3TY145	300mm x 150mm x 45° Triple Socket Branch	9.5
	3TY245	300mm x 225mm x 45° Triple Socket Branch	10.5
	3TY45	300mm x 300mm x 45° Triple Socket Branch	13.0
	3TT190	300mm x 150mm x 90° Triple Socket Branch	8.0
	3TT290	300mm x 225mm x 90° Triple Socket Branch	10.0
	3TT90	300mm x 300mm x 90° Triple Socket Branch	11.0

Couplers, Sealing Rings, Road Gullies and Reducers

Brett Martin also have a comprehensive range of couplers, sealing rings, road gullies and fabricated reducers available:

Plumbing & Drainage

Product	Nominal Size (mm)	Product Code	Product Description	
Couplers and Sealing Rings	150mm	ITC	Coupling	 Couplers  Sealing Rings
		ITSR	Sealing Ring	
	200mm	2TC	Coupling	
		2TSR	Sealing Ring	
	300mm	3TC	Coupling	
		3TSR	Sealing Ring	
	375mm	37TC	375mm Coupling	
		37TSR	375mm Sealing Ring	
	450mm	45TC	450mm Coupling	
		45TSR	450mm Sealing Ring	
	600mm	60TC	600mm Coupling	
		60TSR	600mm Sealing Ring	
Reducers (Fabricated)		2TR1	225mm x 150mm Reducer	 Adapter
		3TR1	300mm x 150mm Reducer	
		3TR2	300mm x 225mm Reducer	
		1TR4	150mm x 110mm Reducer	
		2TR4	225mm x 110mm Reducer	
		2TR6	225mm x 160mm Reducer	
		3TR6	300mm x 160mm Reducer	
Road Gullies		ITRG750	750mm x 375mm x 178mm Spigot Road Gully	 Road Gullies
		ITRG840	750mm x 450mm x 178mm Spigot Road Gully	
		ITRG900	900mm x 450mm x 178mm Sigot Road Gully	
		ITRG160	178mm x 160mm Outlet Adaptor	

Twinwall Pipe

A range of Twinwall Surface Water Pipe in 150mm – 600mm diameters.

Available in non-perforated, half perforated and perforated options.



Nominal Size (mm)	Product Code	Product Description
150mm	1TP6	6m Non-Perforated Pipe
	1TPP6	6m Perforated Pipe
	1THPP6	6m Half Perforated Pipe
225mm	2TP6	6m Non-Perforated Pipe
	2TPP6	6m Perforated Pipe
	2THPP6	6m Half Perforated Pipe
300mm	3TP6	6m Non-Perforated Pipe
	3TPP6	6m Perforated Pipe
	3THPP6	6m Half Perforated Pipe
375mm	37TP6	6m Non-Perforated Pipe
	37TPP6	6m Perforated Pipe
450mm	45TP6	6m Non-Perforated Pipe
	45TPP6	6m Perforated Pipe
600mm	60TP6	6m Non-Perforated Pipe
	60TPP6	6m Perforated Pipe

***If you use Brett Martin fittings with a particular manufacturer's pipe, you must use that manufacturer's seals and couplers**

Brett Martin Twinwall Multi-Fittings Compatibility List

List of BBA-certificated polyethylene Twinwall pipes that are compatible for use with Brett Martin Twinwall Multi-Fittings



BBA Certificate Number(1), Product/Detail Sheet Number	Manufacturer	Sheet Issue Number/Date	Nominal size of pipe (mm)
02/H068, PS1 (2)	Polypipe	Second issue 16 June 2008	150, 225, 300
08/H138, PS1 (2)	Polypipe	First issue 2 October 2008	150, 225, 300
02/H070, PS1 (2)	Wavin	First issue 19 October 2009	150, 225, 300
09/H145, PS1 (2)	Naylor Drainage	Third issue 22 July 2010	150, 225, 300

(1) Please ensure you are using the current Certificate and Product/Detail Sheet by visiting the BBA website: www.bbacerts.co.uk

(2) The Certificate number and Product Sheet number are found on the top right of the front page of the Certificate and the issue number and date of issue are on the bottom left of the front page of the Certificate.

(3) The Certificate number and Detail Sheet number are found on the top right of the front page of the Certificate and the issue number and date of issue are found in the signature block at the end of the Certificate.

***If considering using Brett Martin Plumbing and Drainage Multi-Fittings in conjunction with any other system please contact the Brett Martin Technical Department (tel: 01246 280000 email: technical@brettmartin.com)**



Plumbing & Drainage

Brett Martin Plumbing & Drainage
24 Roughfort Road
Mallusk, Co. Antrim
Northern Ireland, BT36 4RB
Tel: 028 9084 9999
Fax: 028 9083 6666
Sales Counter: 028 9084 8999
Email: sales@brettmartin.com

Speedwell Ind. Estate
Staveley, Derbyshire
England S43 3JP
Tel: 01246 280000
Fax: 01246 280001
Email: building@brettmartin.com

100 Camford Way
Sundon Park
Luton, Bedfordshire
England, LU3 3AN
Tel: 01246 280000
Fax: 01246 280001
Email: building@brettmartin.com

Blairlinn Road
Cumbernauld, Glasgow
Scotland, G67 2TF
Tel: 01236 725536
Fax: 01236 725871
Email: scotland@brettmartin.com

www.brettmartin.com



Certificate No. 009125
BS EN ISO
9001:2008