


PRODUCT CATALOGUE:

Glass & Mardome Rooflight Range

Daylight for living



Welcome to Brett Martin Daylight Systems

Brett Martin is an industry leading UK manufacturer and expert in daylight systems. We offer the widest range of rooflight products for both flat or low pitched roofs, suitable for new builds, refurbishments and all kinds of residential and commercial construction projects.

In this booklet we showcase our extensive range of glass rooflights and polycarbonate dome rooflights. Our Brett Martin glass rooflights are the ideal way to create architecturally stunning daylight solutions. They bring natural light into homes, schools, public buildings and retail developments creating brighter more welcoming spaces.

Our Mardome polycarbonate dome rooflights are specifically engineered for flat, low pitched roof structures and are fully compatible with a wide range of roofing systems. All Brett Martin rooflights are produced to the highest quality standards and backed by excellent technical support and dedicated customer service.

CONTENTS

Glass Rooflights	8	Polycarbonate Rooflights	20
Flat Glass	10	Mardome Trade	22
Glass Link	12	Mardome Circular	24
Circular Glass	14	Mardome Reflex	26
Roof Lantern	16	Mardome Access Hatch	28
Roof Lantern Pyramid	18	Mardome Smoke Vent	30



Contact our Daylight Systems team

Our expert support team are here to answer all your questions.

Supporting our Customers

We are committed to excellence in both our products and our service, building strong customer relationships through trusted advice and getting it right first time.



Technical Support

We offer the best advice and technical expertise to customers with trained, competent staff ready and willing to answer queries.

e: daylight@brettmartin.com



Sales and Customer Service

We have access to your full order history, past and present, and customer account specific notation system/call log, allowing us to respond quickly to your queries and requests.

Get in touch via below:

e: daylight@brettmartin.com t: +44 (0) 24 7660 2022



Keep in touch



Contact us for specific project advice, technical support or sales advice.

Address:

Sandford Close,
Aldermans Green Industrial Estate,
Coventry, Warwickshire,
CV2 2QU

Opening Hours:

08:30 – 17:00
Monday – Friday

Resources

If you're looking for product information, guides or installation videos, simply scan the QR codes below.

Social:

 [@BrettMartinDaylightSystems](https://www.linkedin.com/company/BrettMartinDaylightSystems)

 [@Brett_Martin_UK](https://www.instagram.com/Brett_Martin_UK)

 [@BrettMartinDaylightSytems72](https://www.youtube.com/channel/UCBrettMartinDaylightSystems72)



Daylight Systems Homepage




Submit an enquiry



Installation videos

Configure a Rooflight

Build your ideal rooflight using our easy-to-use modular configurator. Choose from a wide range of natural-light solutions tailored to your project.



Scan QR Code
to configure
a rooflight

Glass Rooflight Range:


Choose your style

To simplify your build, our glass rooflights are available in just days from a wide range of standard sizes which satisfy most projects, ensuring a smooth, efficient specification process from start to finish.

Roof Lantern

Slimline glazing systems which are available in bespoke sizes and multiple colour frame options. Brett Martin's customisable Roof Lanterns now offer greater design flexibility, whatever the project.

Available in combinations of grey, white and black.



Roof Lantern Pyramid

A striking version of the traditional Roof Lantern which can serve as a focal point in living areas as well as smaller spaces and hallways.

Available in standard sizes and bespoke sizes also available.



Flat Glass

A stylish means of bringing light into all types of buildings. We offer frame coating in black and grey. It is also BBA accredited - denoting the product's quality, safety and reliability.

Flat Glass Access Hatch available.




Circular Glass

A round rooflight which offers elegant aesthetics. This contemporary glazing unit gives a clean internal appearance, a slimline exterior and brings maximum daylight to interior spaces.



Glass Link

A system of versatile, elegantly designed, factory glazed rooflight modules. All modules, including those which open, are flush delivering a clean and minimalist appearance.



10 YEAR
WARRANTY
AVAILABLE

Flat Glass

Modern and stylish flat glass rooflight to quickly and confidently daylight all types of buildings.

The Brett Martin Flat Glass Rooflight offers high-quality rooflight features at highly competitive prices, with selected variants available for delivery in as little as 48 hours. Designed for both building owners and installers, it meets the growing demand for flat-roof home extensions and bright, open-plan living spaces.


Equally suitable for larger commercial developments, the Brett Martin Flat Glass Rooflight enables homeowners, independent tradespeople, and larger construction trades to quickly and confidently add stylish daylighting to a wide range of building types.



Glazing (Vertical)



Police Preferred Specification
*on fixed options



Benefits:

Special options available including solar control, tinted and obscure glazing

Flexibility with a choice of opening, ventilation, kerb and fixing options

Sizing Options:

Available in a broad range of sizes, from 600mm x 600mm up to 3600mm x 1650mm.

10 YEAR
WARRANTY
AVAILABLE

Glass Link

Light without limitation.

Glass Link is a system of versatile, elegantly designed, factory glazed rooflight modules equally at home on residential projects, or larger scale commercial property developments. All modules, including those which open, are flush delivering a clean and minimalist appearance.

Glass Link is manufactured to specific requirements and easy to fit on both new build or refurbishment projects. Factory glazed modules simply lap together to form continuous rooflights of unlimited length and daylight is maximised through large glazed areas and minimal framework.



Glazing (Vertical)




Secured by Design



Police Preferred Specification

*on fixed options



Benefits:

Fast and simple installation

Powered opening modules

Sizing Options:

Spans of up to 3800mm available – individual modules of up to 3800mm x 1750mm to allow for uninterrupted daylight.

Size restrictions apply for opening options due to size, wind loadings and weight.

Special Glass Options:

Solar control, tinted, obscure and self-cleaning.

Finish Options:

Can be powder coated to any single RAL colour on request.

10 YEAR
WARRANTY
AVAILABLE

Circular Glass


Premium round rooflight delivering maximum daylight to contemporary interior spaces.

Circular rooflights are used increasingly by architects and specifiers to bring maximum daylight to contemporary interior spaces.

Circular Glass is a premium round rooflight which offers elegant aesthetics and is available in a range of sizes for mounting to a builder's upstand or complete with pre-fabricated insulated GRP kerb. This stylish glazing unit gives a clean internal appearance, a slimline exterior and delivers visual impact to modern interior spaces.



Glazing (Vertical)



Benefits:

Circular design adds interesting feature

Flexibility with a pre-fabricated insulated GRP kerb

4 stocked sizes available on 5 day delivery and bespoke sizes available to order

Sizes Available:

600mm

750mm

900mm

1050mm

1200mm

1350mm

1500mm

Bespoke sizing available:

From 600 to 1880mm diameter

Finish Options:

Can be powder coated to any single RAL colour on request.

10 YEAR
WARRANTY
AVAILABLE

Roof Lantern

Slimline glazing system designed to enhance daylight for extension projects.

The Brett Martin Roof Lantern brings roof lanterns to a new level. Its attractive slimline profile allows in more light enhancing the quality of extended living areas. The contemporary 4 panel design minimises the structure to maximise the daylight while a 6 panel design features additional glazing bars for a more traditional style.

The Brett Martin Roof Lantern is designed not only to look better but also to perform better in terms of safety, energy efficiency and lower maintenance. Because we care about the safety of our users, we offer an optional laminated inner pane for enhanced overhead protection. The slimline profiles work with thermally efficient double glazed units and this, together with a simplified installation process, delivers a low maintenance, weather tight solution.



Low-E insulated double glazing

Choice of clear self-clean or blue solar-control self-clean glass as standard

Slender aluminium castings

Special glass options also available

Aluminium frame powder coated internally and externally colour combinations of RAL 7016 grey, RAL 9010 white and RAL 9005 black



Benefits:

Designed for rapid installation with no silicone sealant other than to seal between roof and rooflight kerb

Toughened inner pane as standard with optional laminated inner pane for enhanced overhead safety

Available in 9 standard sizes and bespoke sizes

Sizing Options:

Available in a wide range of sizes from 1500mm x 1000mm to 3000mm x 2000mm.

Standard sizes available on 3-5 day delivery. Bespoke sizes available to order. Typically delivered in 15-17 days.

Glazing Specification:

Standard: Toughened inner pane
Optional: Laminated inner pane

Glazing Tints:

Standard: Clear self-clean
Optional: Blue Solar self-clean

10 YEAR WARRANTY AVAILABLE

Roof Lantern Pyramid

Symmetrical 4 panel glazing system which creates a captivating centrepiece in living areas.

Create a striking focal point in your living space with the Brett Martin Roof Lantern Pyramid.

As with the rectangular lantern, its slimline profiles allow more daylight to penetrate, and its symmetrical design can provide a focused, even light in living areas as well as smaller spaces and hallways. The precision in design facilitates easy installation, which means that it is an effective way to transform your living areas. Safety is prioritised as lanterns are supplied with preferred option of laminated inner panes protecting those below from falling glass if accidentally broken.



Benefits:

Special glass options also available

Designed for rapid installation with no silicone sealant other than to seal between roof and rooflight kerb

Toughened inner pane as standard with optional laminated inner pane for enhanced overhead safety

Sizing Options:

Available in 4 standard sizes ranging from 1000mm x 1000mm to 2500mm x 2500mm.

Standard sizes available on 3-5 day delivery. Bespoke sizes available to order. Typically delivered in 15-17 days.

Glazing Specification:

Standard: Toughened inner pane
Optional: Laminated inner pane

Glazing Tints:

Standard: Clear self-clean
Optional: Blue Solar self-clean

**10 YEAR
WARRANTY
AVAILABLE**

Polycarbonate Rooflight Range:

Choose your *style*

Ideal for both new-build and refurbishment projects, the Mardome range offers a comprehensive selection of daylighting, ventilation, and access solutions designed to meet the diverse demands of modern construction.

Mardome Trade

A versatile dome rooflight designed for flat roofs, combining modern aesthetics with long-term performance and maximises natural light, Quick to install and available in a wide range of sizes and glazing options.



Mardome Circular

A curved dome rooflight that adds visual impact and soft daylight to modern interiors. Its clean, round design offers both style and functionality, making it an ideal choice for the public and private sector.



Mardome Reflex

A high quality glazing only unit, designed specifically for refurbishment projects. There are multiple sizes and three tint options, depending on the lighting effects. It is also BBA accredited, proving the products reliability and safety.



Mardome Access Hatch

The access hatch offers safe, easy access to rooftops while maximising daylight into the space below. It's ideal for flat and low pitch roofs, combining convenience for roof maintenance or terrace access, with benefits of natural light. Quick to install, with various sizes and options available.



Mardome Smoke Vent

A certified rooflight system offering effective smoke ventilation and natural light. Fully certified in accordance with EN 12101-2. Designed for safety and compliance and is ideal for both new builds and refurbishments. Also, with the option to combine smoke control, access and daylight in one unit.



10 YEAR
WARRANTY
AVAILABLE

Mardome Trade

Versatile dome rooflight with superior long term performance.

Mardome Trade has been designed for optimal use of natural light and provides stylish, contemporary looks as standard.

Designed with features to ensure quick and easy installation, Mardome Trade is the ideal choice for flat roofs with options to satisfy every specification and budget. There are also a range of added extras to choose from to suit every new build or refurbishment project.



Concealed actuators, providing a clean internal appearance

Multiple glazing U-value options for efficient thermal performance



Benefits:

Huge range of sizes and options

Class B non-fragile to ACR[M]001 when new and fully installed to Brett Martin guidelines

Delivery in 48 hours as standard on most options

Steep kerb walls allow larger glazing area for more natural daylight

Extensive options to satisfy ventilation and light transmission

Optional 24 hour delivery available on a select range

Sizing Options:

Available in standard sizes from 450x450mm up to 2400x1800mm with a choice of low rise dome or optional low rise pyramid shaped glazing units.

Tint Options:

Clear

Opal

Patterned

10 YEAR
WARRANTY
AVAILABLE

Mardome Circular

Contemporary curved dome creating visual impact in modern interior spaces.

Round rooflights are used increasingly by architects to create visual impact in modern interior spaces.

Mardome Circular is a perfectly rounded rooflight specified for its distinct styling and is available in a selection of size, insulation and glazing tint options. This contemporary glazing unit gives a clean internal appearance, an unobtrusive exterior and allows daylight to spread evenly through an interior space.



Single, double and triple skin units available depending on insulation requirements

The outer skins of Mardome Circular units are glazed with Marlon FSX polycarbonate and a choice of clear, opal and patterned polycarbonate glazing

Optional robust insulated GRP kerb

Steep kerb walls allows larger glazing area for more natural daylight



Benefits:

Clean contemporary curves

Economical round rooflight solution

Class B non-fragile to ACR[M]001 when new and fully installed to Brett Martin guidelines

Sizing Options:

Available in a range of sizes from 600mm to 1800mm.

Tint Options:

Clear

Opal

Patterned


10 YEAR
WARRANTY
AVAILABLE

Mardome Reflex

Glazing only unit for safe, reliable refurbishment.

Mardome Reflex is a glazing only polycarbonate dome rooflight designed specifically for refurbishment projects where only the glazing needs to be replaced.

Manufactured from Marlon FSX polycarbonate, this high quality glazing unit is up to 200 times stronger than glass. The high resistance to breakage and adverse weather conditions means Mardome Reflex is very safe and reliable.



Benefits:

Easy install to existing upstands

Accommodating of varying upstand sizes and site tolerances

Cost effective rooflight replacement

Robust and long lasting polycarbonate materials

Class B non-fragile to ACR[M]001 when new and fully installed to Brett Martin guidelines

Sizing Options:

Available in multiple sizes ranging from 450mm x 450mm up to 2400mm x 1800mm.

A selection of standard Mardome Reflex sizes and options can be delivered within 48 hours, with the most popular sizes available for next-day delivery.

Tint Options:

Clear

Opal

Patterned

**10 YEAR
WARRANTY
AVAILABLE**

Mardome Access Hatch

Safe, easy access to the roof above whilst daylighting the space below.

The versatility of the Mardome rooflight range means that it can be configured to include a range of opening options such as an Access Hatch.

This provides safe, easy access to roof spaces for maintenance or to open up roof spaces for terraces and roof gardens. Units come ready to fit and can be designed to match a range of size, insulation and light transmission requirements. The Mardome Access hatch captures natural daylight and provides a means of convenient roof maintenance with the added benefit of access to enjoy roof terraces.



Lockable internal handle(s) for easy operation and security

Hinged dome unit and gas springs facilitate opening

Available with all polycarbonate glazing and uPVC kerb options from the Mardome Trade range



Benefits:

Safe, easy access to flat and low pitch roofs

Quick and easy to install

Class B non-fragile to ACR[M]001 when new and fully installed to Brett Martin guidelines

Many sizes delivered in 48 hours as standard

Optional 24 hour delivery available on a select range

Sizing Options:

Available in standard sizes from 900 x 750mm up to 1200 x 1200mm square or 1800 x 900mm rectangle.

Tint Options:

Clear

Opal

Patterened

10 YEAR
WARRANTY
AVAILABLE

Mardome Smoke Vent

Fully tested and certified smoke vent rooflight providing effective ventilation.

As cities grow denser and high rise construction increases, the need for effective smoke control and safe access systems becomes ever more critical.

Mardome Smoke Vent rooflights are polycarbonate units designed for quick installation on flat roofs across all modern building types. They provide natural smoke and heat exhaust, as well as comfort ventilation. They can also be configured to allow use as a dual purpose access hatch.

Mardome Smoke Vent not only allows specifiers to source rooflight, smoke vent and access products from a single source, but also offers a contemporary, reliable and robust smoke and access system which maximises light in both new and refurbished buildings.

Double or triple skin units available (triple skin for optimal thermal performance & resistance to condensation)

Multiwall PVC Kerb with thermally efficient triple wall structure

Steep kerb walls allows larger glazing area for more natural daylight



Benefits:

Fully certified in accordance with EN 12101-2

A wide range of sizes and options

Thermally efficient

Class B non-fragile to ACR[M]001 when new and fully fixed to Brett Martin installation guidelines

Optional offset actuator to allow use as a dual purpose access hatch

Optional wind deflectors to enhance aerodynamic ventilation performance

Sizing & Shape:

Mardome Smoke Vent rooflights are available in square and rectangular sizes from 1050 x 1050mm up to 1800 x 1800mm with a choice of low rise dome or optional low rise pyramid shaped glazing units.

Glazing Options:

Mardome Smoke Vents are glazed with Marlon FSX polycarbonate and a choice of clear, opal and patterned polycarbonate glazing is available.

10 YEAR
WARRANTY
AVAILABLE

Brett Martin
Daylight Systems Ltd
Sandford Close
Aldermans Green Industrial Estate
Coventry, West Midlands
CV2 2QU

4753/0626

t: +44 (0) 24 7660 2022
f: +44 (0) 24 7660 2745
e: daylight@brettmartin.com

For the latest information visit
brettmartin.com

